
















**FERRULE INOX - BOCCOLA A PRESSARE T.P. INOX**





					
	<b>R1A</b>	<b>R1T</b>	<b>R1-R2T</b>	<b>R2A</b>	<b>R2T</b>
$\varnothing$	<b>COD. X010</b>	<b>COD. X006</b>	<b>COD. X018</b>	<b>COD. X012</b>	<b>COD. X008</b>
3/16	5.20	5.20		5.90	4.95
1/4	5.20	4.95		5.90	4.95
5/16	5.70	5.60		5.90	5.50
3/8	5.98	5.65		5.96	5.90
1/2	6.35		7.98	6.93	
5/8	12.80		10.65	12.10	
3/4	13.80		12.40	16.50	
1"	21.30	21.50		23.50	22.10
1"1/4	36.00			32.29	
1"1/2	41.00			46.90	
2"	69.20			71.00	

					
	<b>R9R</b>	<b>R7</b>	<b>MT1</b>	<b>TEFLON</b>	<b>R3-R4</b>
$\varnothing$	<b>COD. X014</b>	<b>COD. X004</b>	<b>COD. X020</b>	<b>COD. X022</b>	<b>COD. X024</b>
3/16		3.00	3.48	3.50	
1/4	7.48	4.20	4.20	3.50	
5/16		4.30	4.30	3.66	
3/8	8.53	4.40	4.40	3.95	
1/2	9.53	5.80	5.80	4.78	6.93
5/8	16.63	9.60	9.60	6.50	
3/4	19.10	10.30	10.30	7.80	14.33
1"	23.90	16.80	16.80	12.98	19.82
1"1/4	56.20				34.29
1"1/2	65.50				38.55
2"	119.80				58.80





**INSERT BSP MALE, FEMALE PARALLEL 60° INOX - INSERTO GAS 60° INOX**

						
		<b>M CON.</b>	<b>M CIL.</b>	<b>FD</b>	<b>F45</b>	<b>F90</b>
<b>FIL.</b>	<b>Ø TUBO</b>	<b>COD. X040</b>	<b>COD. X038</b>	<b>COD. X030</b>	<b>COD. X032</b>	<b>COD. X034</b>
1/8	3/16	7.68	7.68	6.63	13.28	13.28
1/8	1/4	7.68	7.68	6.63	13.28	13.28
1/4	3/16	7.68	7.68	6.63	13.28	13.28
1/4	1/4	7.68	7.68	6.40	13.28	13.28
1/4	5/16					
1/4	3/8					
3/8	1/4	8.29	8.29	7.95	14.48	14.48
3/8	5/16	8.29	8.29	7.95	14.48	14.48
3/8	3/8	8.20	8.20	7.95	14.48	14.48
3/8	1/2					
1/2	3/8	11.68	11.68	12.11	18.30	18.30
1/2	1/2	11.68	11.68	12.11	18.30	18.30
1/2	5/8					
5/8	1/2					
5/8	5/8					
3/4	1/2					
3/4	5/8	15.26	15.26	17.85	29.79	29.79
3/4	3/4	15.26	15.26	17.85	29.79	29.79
1"	3/4	26.80	26.80	27.40	50.20	50.20
1"	1"	26.80	26.80	27.40	50.20	50.20
1"1/4	1"	49.86	49.86	53.80	86.28	86.28
1"1/4	1"1/4	49.55	49.55	53.00	86.28	86.28
1"1/2	1"1/4	65.20	65.20	67.90	111.10	111.10
1"1/2	1"1/2	65.20	65.20	67.90	110.80	110.80
2"	1"1/2	101.20	101.20	98.90	166.00	166.00
2"	2"	101.20	101.20	98.90	166.00	166.00




**INSERT DIN 24 O-RING MALE, FEMALE INOX - INSERTO DIN 24 OR SERIE L INOX**

						
			<b>M *</b>	<b>FD *</b>	<b>F45 *</b>	<b>F90 *</b>
FIL.	Ø TUBO	TASCA	<b>COD. X068</b>	<b>COD. X062</b>	<b>COD. X064</b>	<b>COD. X066</b>
12x1,5	3/16	6L	7.78	6.78	16.02	16.02
12x1,5	1/4	6L	7.78	6.78	16.02	16.02
14x1,5	1/4	8L	7.78	6.78	16.02	16.02
16x1,5	1/4	10L	8.05	7.17	16.69	16.69
18x1,5	1/4	18L				
16x1,5	5/16	10L				
18x1,5	5/16	12L				
16x1,5	3/8	10L				
18x1,5	3/8	12L	8.22	7.90	16.96	16.96
22x1,5	3/8	15L				
22x1,5	1/2	15L	11.68	12.11	18.31	18.31
26x1,5	1/2	18L				
26x1,5	5/8	18L	15.26	15.80	26.80	26.80
30x2	3/4	22L	17.20	17.85	29.79	29.79
36x2	1"	28L	26.80	27.40	50.20	50.20
45x2	1"	35L				
45x2	1"1/4	35L	49.55	53.00	85.00	85.00
52x2	1"1/2	42L	65.20	67.00	111.00	111.00




**INSERT DIN 24 O-RING MALE, FEMALE INOX - INSERTO DIN 24 OR SERIE S INOX**

						
			<b>M *</b>	<b>FD *</b>	<b>F45 *</b>	<b>F90 *</b>
FIL.	Ø TUBO	TASCA	<b>COD. X078</b>	<b>COD. X072</b>	<b>COD. X074</b>	<b>COD. X076</b>
14x1,5	1/4	6S	7.78	7.11	16.20	16.20
16x1,5	1/4	8S	7.99	7.11	16.69	16.69
18x1,5	1/4	10S	8.22	8.87	17.10	17.10
20x1,5	1/4	12S				
18x1,5	5/16	10S				
20x1,5	5/16	12S				
18x1,5	3/8	10S				
20x1,5	3/8	12S	9.28	8.38	18.43	18.43
22x1,5	3/8	14S				
22x1,5	1/2	14S	11.68	12.11	18.31	18.31
24x1,5	1/2	16S	11.90	12.58	20.80	20.80
30x2	5/8	20S	17.20	17.85	29.79	29.79
30x2	3/4	20S	17.20	17.85	29.79	29.79
36x2	3/4	25S	24.10	27.40	50.20	50.20
36x2	1"	25S	24.10	27.40	50.20	50.20
42x2	1"	30S	46.80	53.00	84.20	84.20
52x2	1"1/4	38S	64.00	67.00	111.00	111.00





**INSERT FOR HOSES L-S INOX - INSERTO ESTREMITA' TUBOLARE SERIE L - S INOX**

					
			<b>E.T. D *</b>	<b>E.T. 45 *</b>	<b>E.T. 90 *</b>
Ø	Ø TUBO	SERIE	<b>COD. X082</b>	<b>COD. X084</b>	<b>COD. X086</b>
6	3/16	LS	5.59		
6	1/4	LS	5.59	12.44	12.44
8	1/4	LS	5.66	12.44	12.44
10	1/4	LS	5.66	12.44	12.44
12	1/4	LS			
10	5/16	LS			
12	5/16	LS			
10	3/8	LS	5.80	13.32	13.32
12	3/8	LS	5.80	13.32	13.32
15	3/8	L			
18	3/8	L	----	----	----
15	1/2	L	8.80	18.00	18.00
18	1/2	L	9.70	19.80	19.80
18	5/8	L	10.20	20.90	20.90
22	3/4	L	12.80	28.00	28.00
28	3/4	L			
28	1"	L	22.60	46.80	46.80
35	1"	L			
35	1"1/4	L			
42	1"1/2	L			


**INSERT FOR HOSES L-S INOX - INSERTO ESTREMITA' TUBOLARE SERIE L - S INOX**

					
			<b>E.T. D *</b>	<b>E.T. 45 *</b>	<b>E.T. 90 *</b>
<b>Ø</b>	<b>Ø TUBO</b>	<b>SERIE</b>	<b>COD. X092</b>	<b>COD. X094</b>	<b>COD. X096</b>
14	3/8	S			
16	3/8	S			
14	1/2	S	8.80	18.31	18.31
16	1/2	S	9.00	18.90	18.90
20	5/8	S	11.00	26.11	26.11
20	3/4	S	12.80	27.00	27.00
25	3/4	S	14.80	30.90	30.90
25	1"	S	21.80	44.80	44.80
30	1"	S	21.80	44.80	44.80
38	1"	S			
30	1"1/4	S	32.60	66.80	66.80
38	1"1/4	S	32.60	66.80	66.80
38	1"1/2	S	44.20	98.20	98.20

MALE, FEMALE JIC 74° INOX - INSERTO JIC 74° INOX




					
		<b>M *</b>	<b>FD *</b>	<b>F45 *</b>	<b>F90 *</b>
FIL.	Ø TUBO	<b>COD. X058</b>	<b>COD. X052</b>	<b>COD. X054</b>	<b>COD. X056</b>
7/16	1/4	8,76	7,75	17,74	17,74
1/2	1/4	8,76	7,75	17,74	17,74
9/16	1/4	8,76	7,75	17,74	17,74
9/16	5/16	9,32	8.20	17,74	17,74
9/16	3/8	9,32	8.20	17,74	17,74
3/4	3/8	10,57	10.90	18,48	18,48
3/4	1/2	10,57	10.90	18,48	18,48
7/8	1/2	12,00	11.90	19,55	19,55
7/8	5/8	12,00	12.80	21.60	21.60
1"1/16	5/8	15,40	16.90	32,97	32,97
1"1/16	3/4	15,40	16.90	32,97	32,97
1"5/16	3/4	26.80	27.20	53.60	53.60
1"5/16	1"	26.80	27.20	56.60	56.60
1"5/8	1"	49.80	51.80	92.80	92.80
1"5/8	1"1/4	49.80	51.80	92.80	92.80

**BSB BANJO INOX - INSERTO OCCHIO A PRESSARE INOX**



		
		<b>OCC *</b>
Ø	Ø TUBO	<b>COD. X036</b>
1/8	3/16	
1/8	1/4	
1/4	3/16	
1/4	1/4	16,80
1/4	5/16	
1/4	3/8	
3/8	1/4	
3/8	5/16	
3/8	3/8	17,80
3/8	1/2	
1/2	3/8	
1/2	1/2	24,26
3/4	3/4	41,00
3/4	5/8	
1"	3/4	
1"	1"	




**UNION MALE x MALE INOX - NIPLES M x M INOX**

						
		<b>GAS. CIL.</b>	<b>CON. CIL.</b>	<b>NPT GAS CIL</b>	<b>NIPLES CON.CON.</b>	
<b>FIL.</b>	<b>FIL.</b>	<b>COD. X029</b>	<b>COD. X033</b>	<b>COD. X035</b>	<b>COD.X019</b>	
1/8	1/8	4,68	4,68	4,68	4,68	
1/4	1/4	4,85	4,85	4,85	4,85	
3/8	3/8	6.15	6.15	6.15	6.15	
1/2	1/2	8.60	8.60	8.60	8.60	
5/8	5/8					
3/4	3/4	13.00	11.90	11.90	11.90	
1"	1"	19.80	17.80	17.80	17.80	
1"1/4	1"1/4	38.20	31.00	31.00	31.00	
1"1/2	1"1/2	45.80	39.00	39.00	39.00	
2"	2"	89.60	81.00	81.00	81.00	

**BRAZE CONNECTOR, WELDING STUD- GES INOX – BORCHIA INOX**

			
		<b>1/2 NIPLES A S. GAS</b>	<b>BORCHIA A S. GAS</b>
<b>FIL.</b>	<b>FIL.</b>	<b>COD. X021</b>	<b>COD. X025</b>
1/8	1/8	3.04	3.04
1/4	1/4	3.04	3.04
3/8	3/8	3.87	3.87
1/2	1/2	5.41	5.41
3/4	3/4	8.19	8.19
1"	1"	12.47	12.47
1"1/4	1"1/4	24.06	24.06
1"1/2	1"1/2	28.85	28.85
2"	2"	56.45	56.45


**UNION INOX - NIPLES INOX**




**NIPLES GAS  
RIDOTTO**

FIL. M	FIL. M	COD. X031
1/4	1/8	4.85
3/8	1/8	6.46
3/8	1/4	6.15
1/2	1/4	9.03
1/2	3/8	8.60
5/8	1/2	
3/4	1/4	13.65
3/4	3/8	13.65
3/4	1/2	13.00
3/4	5/8	
1"	1/2	20.79
1"	3/4	19.80
1"1/4	3/4	40.10
1"1/4	1"	38.20
1"1/2	3/4	48.00
1"1/2	1"	48.00
1"1/2	1"1/4	45.80
2"	1"	94.00
2"	1"1/4	94.00
2"	1"1/2	89.60

**REDUCING INOX- RIDUZIONE INOX**




**RID. MxF TAPPO  
\***








**RID. MxF ALTE  
\***

FIL. M	FIL. F	COD. X043	COD. X045
1/4	1/8	4,16	
3/8	1/8	4,45	
3/8	1/4	4,45	7,15
1/2	1/4	5,55	
1/2	3/8	5,55	8,81
5/8	1/2		
3/4	1/4	8,87	
3/4	3/8	8,87	
3/4	1/2	8,87	13.20
3/4	5/8		
1"	1/2	12,87	
1"	3/4	12,87	20,80
1"1/4	3/4	24,83	
1"1/4	1"	24,83	38.80
1"1/2	3/4	29.77	
1"1/2	1"	29.77	
1"1/2	1"1/4	29.77	46,20
2"	1"	58.24	
2"	1"1/4	58.24	
2"	1"1/2	58.24	91.00





### REDUCING INOX - RIDUZIONI INOX

		
		<b>MxF *</b>
<b>FIL. M</b>	<b>FIL. F</b>	<b>COD. X065</b>
1/8	1/4	7,15
1/4	3/8	7,15
1/4	1/2	8,81
3/8	1/2	8,81
3/8	3/4	13,80
1/2	3/4	13,80
1/2	1"	20.80
3/4	1"	20.80
1"	1"1/4	38.20
1"1/4	1"1/2	49.80
1"1/2	2"	94.00






### ADAPTOR INOX - PROLUNGA INOX

					
	<b>M x M *</b>	<b>F x F *</b>	<b>M x F CORTA *</b>	<b>M x F MEDIA *</b>	<b>M x F LUNGA *</b>
<b>FIL.</b>	<b>COD. X151</b>	<b>COD. X153</b>	<b>COD. X155</b>	<b>COD. X157</b>	<b>COD. X159</b>
1/8	6.50	5,50	5,55	6,53	7,68
1/4	6.50	5,50	5,55	6,53	7,68
3/8	7.20	6.60	5,89	7.92	9.50
1/2	9.26	9.20	9.20	11.00	13.20
3/4	14.80	14.20	14.20	17.00	20,40
1"	26.90	21.20	21.26	25.51	30.61
1"1/4	44.96	39.20	39.20	47.00	56.40
1"1/2	59.86	47.00	47.00	56.40	68.00
2"	92.20	89.00	89.00	106.00	127.00



**CONNECTOR SWIVEL INOX- ADATTATORE INOX**

				
	<b>45° MxFG *</b>	<b>90° MxFG *</b>	<b>45° FxFG *</b>	<b>90° FxFG *</b>
<b>FIL.</b>	<b>COD. X125</b>	<b>COD. X127</b>	<b>COD. X129</b>	<b>COD. X131</b>
1/4	14,11	14,11	16.80	16.80
3/8	20,50	20,50	22.90	22.90
1/2	22,95	22,95	25.80	25.80
3/4	34.21	34.21	35.20	35.20
1"	62.20	62.20	61.20	61.20
1"1/4	96.84	96.84	111.00	111.00
1"1/2				
2"				






**BULKHEAD UNION INOX- ADATTATORE INOX**

					
	<b>GIUNZIONE MxFG *</b>	<b>GIUNZIONE FxFG *</b>	<b>PASSAPARETE *</b>	<b>GIUNZIONE CON PORTAMAN. *</b>	<b>RACCORDO PORTAMAN. *</b>
<b>FIL.</b>	<b>COD. X121</b>	<b>COD. X123</b>	<b>COD. X133</b>	<b>COD. X047</b>	<b>COD. X049</b>
1/4	9,93	12,19	7.90		10,11
3/8	10,51	12,85	8.40		
1/2	12,42	18,20	11.20	20,51	
3/4	16.80	21,60	16.18	25,14	
1"	29.80	32,60	26.20	40,71	
1"1/4	57.80	64.20	54.89	50,32	





**BSPP BOLT, DOUBLE BOLT INOX - PLUG INOX PVITE FORATA INOX – TAPPO INOX**

					
	<b>VITE FORATA GAS *</b>	<b>VITE FORATA DOPPIA GAS *</b>	<b>TAPPO M SVASATO GAS *</b>	<b>TAPPO M S.PIANA GAS *</b>	<b>TAPPO F S. OGIVA *</b>
<b>FILE.</b>	<b>COD. X051</b>	<b>COD. X053</b>	<b>COD. X055</b>	<b>COD. X057</b>	<b>COD. X059</b>
1/8			4.10		
1/4	6.92		4.10		5.40
3/8	8.12		4.96		6.80
1/2	12.43		5.20		11.00
3/4	18.20		8.10		15.20
1"			10,86		21,00
1"1/4			22.98		38.20
1"1/2			28.20		56.80
2"			68.20		81.20

**UNION TEE INOX - ADATTATORE FISSO INOX**

					
	<b>T MxMxM</b> *	<b>T FxFxF</b> *	<b>T MxMxM CON. LAT.</b> *	<b>T MxMxM CON. CENTR.</b>	<b>RACCORDO CROCE FxFxFxF</b> *
<b>FIL.</b>	<b>COD. X095</b>	<b>COD. X097</b>	<b>COD. X099</b>	<b>COD. X101</b>	<b>COD. X107</b>
1/4	20,65	25,36	20,65	20,65	32,28
3/8	25,75	29,25	25,75	25,75	37,94
1/2	29,70	36,61	29,70	29,70	47,65
3/4	41,33	53,35	41,33	41,33	66,74
1"	54,14	67,23	54,14	54,14	107,08
1"1/4		92,98			146,71




**UNION ELBOW BSPP INOX - ADATTATORE FISSO INOX**

				
	<b>MxM CON. CIL.</b> *	<b>MxF FISSO</b> *	<b>MxM CON. CON.</b> *	<b>FxF FISSO</b> *
<b>FIL.</b>	<b>COD. X081</b>	<b>COD. X083</b>	<b>COD. X085</b>	<b>COD. X087</b>
1/4	14,35	16,83	14,35	16,72
3/8	19,05	20,09	19,05	19,95
1/2	21,86	24,67	21,86	24,53
3/4	29,70	37,61	29,70	37,44
1"	42,14	51,00	39,90	50,79
1"1/4	64,98	68,83	64,98	68,52




**UNION ELBOW, UNION TEE INOX - ADATTATORE INOX**

	<b>GOMITO MxFG CIL. *</b>	<b>GOMITO MxFG CON. *</b>	<b>GOMITO MxM CIL. ORIENT. *</b>	<b>RACCORDO T MxFxM *</b>	<b>RACCORDO T MxMxF *</b>
<b>FIL.</b>	<b>COD. X089</b>	<b>COD. X091</b>	<b>COD. X093</b>	<b>COD. X103</b>	<b>COD. X105</b>
1/4	17,14	17,14	18,62	23,46	23,46
3/8	22,30	22,30	24,58	29,00	29,00
1/2	26,13	26,13	28,42	33,94	33,94
3/4	34,78	34,78	38,98	47,15	47,15
1"	52,52	52,52	53,94	64,38	64,38
1"1/4	75,34	75,34	81,70	83,03	83,03

### INSERTO FLANGIA A PRESSARE SERIE 3000 INOX

					
			FL. D.	FL. 45	FL. 90
FL.	Ø TUBO	Ø FL.	COD. X102	COD. X104	COD. X106
3/4	3/4	38	24,09	46,59	46,59
1"	3/4	44	36,51	66,98	66,98
1"	1"	44	35,73	66,98	66,98
1"1/4	1"	51	66,23	107,64	107,64
1"1/4	1"1/4	51	64,99	107,64	107,64
1"1/2	1"1/4	60	92,06	140,76	140,76
1"1/2	1"1/2	60	90,13	140,76	140,76
2"	1"1/2	71	117,38	197,84	197,84
2"	2"	71	117,38	197,84	197,84

### INSERTO FLANGIA A PRESSARE SERIE 6000 INOX

					
			FL. D.	FL. 45	FL. 90
FL.	Ø TUBO	Ø FL.	COD. X112	COD. X114	COD. X116
3/4	3/4	41,3	25,41	49,73	49,73
1"	3/4	47,6	38,84	70,83	70,83
1"	1"	47,6	38,84	70,83	70,83
1"1/4	1"	54	72,78	116,77	116,77
1"1/4	1"1/4	54	72,78	116,77	116,77
1"1/2	1"1/4	63,5	97,42	164,02	164,02
1"1/2	1"1/2	63,5	97,42	164,02	164,02
2"	1"1/2	79,4	145,24	222,48	222,48
2"	2"	79,4	145,24	222,48	222,48